



AQUALISA

PREMIER COLLECTION



CREATING THE DREAM

Indulge in our bespoke collection designed for your perfect bathroom.

| | | | |
|-------------------------------|-----------|---|-----------|
| The Premier Collection | 2 | Accessories | 32 |
| Infinia™ | 3 | Fixed Shower Heads | 34 |
| Q™ Edition | 6 | Hand showers | 36 |
| HIQU™ Shower | 10 | Shower rails | 38 |
| HIQU™ Bath | 13 | Shower rail accessory packs | 38 |
| Rise™ | 15 | Arms for fixed shower heads | 38 |
| Rise™ DCV | 16 | Hoses, wall outlets and hand shower holders | 39 |
| HIQU XT™ | 18 | Bath outlets | 39 |
| Controllers | 20 | Completing your shower | 40 |
| Infinia™ | 22 | Option kits | 42 |
| Q™ Edition | 24 | Rise™ kits | 43 |
| HIQU™ | 26 | Premier Collection inspirations | 44 |
| Rise™ | 28 | How Aqualisa digital showers work | 46 |
| HIQU XT™ | 29 | | |
| Rise™ DCV | 30 | Icon key | 48 |



INFINIA™

Engineered by the digital shower experts, Aqualisa Infinia™ combines all of the quality and premium feel of the best dual control mixers, with Aqualisa digital technology.

With one-touch start/stop, LED temperature indicator, precision temperature control and dual outlet, Aqualisa Infinia™ delivers the perfect shower, every time.

No need to be in the shower for it to start. With a remote control, your shower will warm up before you step in. Plus, with an Eco setting delivering a perfect shower with 33% less water, Aqualisa Infinia™ is a true guilt-free pleasure.

Infinia™ control with Tondo dials and remote control.



LESS IS MORE

The thinnest shower in its class.


Aqualisa Infinia™ boasts an ultra-thin control plate of just 2.5mm, which sits flush to the wall, for the most seamless look available.

ENDLESS CHOICE

With Aqualisa Infinia™ you can express your own sense of style and individuality. The hand polished shower control can be tailored with a choice of three different and equally elegant designer dials: Piazza, Tondo or Astratta (see page 23). All of which come in a choice of two different finishes: chrome and white/chrome.



Infinia™ control with Piazza dials.



Infinia™ control with Tondo white dials.




AQUALISA Q™ EDITION

Q™ EDITION offers personalisation capabilities that take the showering experience to a whole new level. The on/off touch switch has been specifically designed to work in a wet environment and landmark technology includes a proximity sensor that reduces flow to save water when you step away from the shower, to wash or condition your hair or shave.



MORE THAN
JUST A SHOWER:
A PERSONAL
SHOWERING
EXPERIENCE



EXTRAORDINARY SHOWERING

Q™ EDITION is not just a shower, but extraordinary showering. Crafted with high quality materials, it has been designed with individuality and style in mind. From the seamless motion of the multi-functional Q™ lever to the five customisable metallic accents.

Personalisation is at the very heart of Q™ EDITION: MyQ™ gives you the ability to choose from a range of six pre-set experiences that we have created for you to suit your mood and lifestyle, like 'Sport', 'Eco' or 'Comfort', as well as the option to create and save your own shower experiences so that you can repeat that perfect shower every time.

Intuitive and easy to use, with its simple on/off touch switch, Q™ EDITION greets you with a friendly 'Hello' displayed on its screen before it powers on. Its warm up feature will hold the water at your desired temperature until you're ready to start your shower, and the multi-functional Q™ lever adjusts the flow when you move it up and down and navigates you through the menu. As with all our Premier digital showers, it comes with a remote control so that you can power on your shower and have it perfectly pre-warmed before you step in.



HIQU™ SHOWER

The elegance of HiQu's™ contemporary design combines with the intelligence of Aqualisa's award-winning smart technology to deliver an intuitive shower.

Single touch start/stop with precision water-blending and lighting display that intuitively indicates the water temperature and flow. When the lights are red the water is heating up, blue means it's cooling down and when they are white and steady, that's HiQu's™ advanced smart valve telling you that your ideal shower is ready.

With its neat remote control you can enjoy the convenience of setting your shower running from outside the enclosure. HiQu™ Dual Outlet Showers offer the added bonus of allowing you to choose between two outlets to commence showering or begin filling a perfect bath.





HIQU™ BATH

Indulge yourself in a truly smart bathing experience at the touch of a button and without a tap in sight.

Select full, half or shallow fill: HiQu™ Bath will fill your tub to the depth and precise temperature you choose. The intuitive lighting display will tell you when the water is flowing at your specified temperature. HiQu™ will safely stop filling your bath when your chosen depth has been reached, so you can just 'fill and forget'.

If you choose to stay in your bath a little longer, go ahead and indulge yourself with HiQu's™ Top Up function. It can add more hot water to bring a cooling bath back to perfection. HiQu™ Bath Dual Outlet can be accessorised with your choice of stylish hand showers for a totally co-ordinated bathroom.

For family bathrooms, place a HiQu™ Dual Outlet Shower system over the bath and team with a bath fill, so that at the touch of a button you can effortlessly switch between the bath fill and shower.





RISE™

Rise™ is all about simplicity; beautifully simple aesthetics, thoughtful features and simple installation.

A single touch will have the Rise™ warming up, whilst the sophisticated LED display lets you know when it's time to step in once it's reached the perfect temperature, so you never need to wait in the shower for the water to warm up. A remote control allows you to start the shower remotely and to divert when necessary.

Rise™ is suitable for single and dual outlets, enabling you to switch instantly between shower heads and/or a bath fill.



RISE™ DCV

Rise™ DCV is a thermostatic dual control mixer shower designed with clean, simple lines made with quality materials. Sophisticated and timeless, it is the perfect solution if you are looking for a stylish and contemporary look.

Whether you choose a single, divert or three-way solution, teamed with your choice of accessories and fittings, Rise™ DCV will ooze elegance and luxury, whilst also offering you maximum flexibility with its divert system.



HIQU XT™

HiQu XT™ is a thermostatic shower and bath shower mixer range that combines modern looks with an exceptional showering experience. From its high quality all-metal chrome finished controls to its sleek lines and architectural details, HiQu XT™ will have pride of place in any bathroom.

With HiQu XT™ you will enjoy a powerful, invigorating shower, every time. For low pressure gravity water systems add a twin-ended booster pump to deliver a drench-like showering experience.

HiQu XT™ delivers more than just high-performance showering with precise temperature control. It also comes with a host of thoughtful features, like the Eco Flow control and a temperature override button for safety and peace of mind.

The HiQu XT™ Bath Shower Mixer features a diverter that lets you switch seamlessly between bathing and showering, and can be bath or wall mounted, making HiQu XT™ an elegant and ergonomic choice for any bathroom space.





CONTROLLERS

From digital showers to traditional mixers, the controller lies at the heart of your shower or bath.

INFINIA™

Infinia™ Controls

Aqualisa Infinia™ delivers all the trusted benefits of a thermostatic valve, with the increased efficiency and sleek design of intelligent, digital showering. You can tailor the look of the control to suit your bathroom style with a choice of three designer dial shapes and finishes.

- 1 Start/Stop button (Infinia™ Shower)** – Press button to start.
Water will dispense at the flow and temperature set by the controls.
- 2 Temperature control**
- 3 Flow control**
- 4 LED Display** – The LED light will change colour accordingly, spinning clockwise or anti-clockwise to denote increases or decreases in temperature (red or blue), flow (white) or a change of outlet (purple).

| Infinia™ Shower | Infinia™ Dual Outlet Shower |
|---|---|
| HP/Combi INF01HP | HP/Combi INF02HP |
| Gravity Pumped INF01GP | Gravity Pumped INF02GP |
|  |  |



Infinia™ Dual Outlet controller

Infinia™ Remote Control

- 1 Start/Stop** – Press button to start or stop.
Divert button (Dual Outlet systems only) – Push and hold and the flow will Divert to the alternative outlet.
- 2 LED Display**
Start/Stop
Flashes white until selected flow and temperature have been reached then light remains solid.
Divert
LED will 'blink' once to confirm Divert.

All options come with a remote control included.



Infinia™ remote control

Product dimensions are in mm and are for guidance only.
Please refer to installation guide for installation requirements.

Infinia™ Control Dials

Aqualisa Infinia™ is the ultimate in style statements. Select from three different dial shapes and two finishes – Chrome and White/Chrome.

Available in chrome and white/chrome

PIAZZA

Available in chrome and white/chrome



Image shows dial in white/chrome finish



Piazza – Chrome
PIZ01

Piazza – White/Chrome
PIZ02

Image shows dial in white/chrome finish

TONDO

Available in chrome and white/chrome



Image shows dial in white/chrome finish



Tondo – Chrome
TON01

Tondo – White/Chrome
TON02

ASTRATTA

Available in chrome and white/chrome



Image shows dial in chrome finish



Astratta – Chrome
AST01

Astratta – White/Chrome
AST02

Product dimensions are in mm and are for guidance only.
Please refer to installation guide for installation requirements.

Q™ EDITION

Q™ Edition Controls

With its sleek contemporary design, smart features and colour display screen, Q™ EDITION is intuitive and easy to use.

- 1 **On/off touch switch** – Touch to power on and power off the controller.
- 2 **Proximity sensor** – As you approach the controller, the display wakes up and is ready to go. If 'water save' is active this feature automatically reduces the water to minimum flow when you step away, to save water.
- 3 **Temperature bezel** – Turn clockwise or anticlockwise to increase or decrease temperature.
- 4 **Q™ Lever** – Move up and down to increase or decrease water flow and navigate menu. Push in to access pre-set and personalised shower experiences and confirm selection.
- 5 **Display** – Colour screen appears when using on/off touch switch or proximity sensor.



Q™ Edition Shower

HP/Combi QDC.01.HP
Gravity Pumped QDC.01.GP



Q™ Edition Dual Outlet Shower

HP/Combi QDC.02.HP
Gravity Pumped QDC.02.GP



MyQ™ – shower experiences

At the heart of the menu lies MyQ™. A range of six pre-set shower experiences designed to give you a choice of showers to suit your mood and lifestyle, based on pre-set combinations of flow, outlet, temperature and duration.

- | | |
|--|--|
| <p>Family A 7-minute handset shower at 38°.</p> | <p>Comfort A gentle shower at 39° with no set time.</p> |
| <p>Sport A hot 40° 8-minute shower from the drencher at maximum flow.</p> | <p>Refresh A long 12-minute shower at a cooler 37° with maximum flow.</p> |
| <p>Eco A short 3-minute cooler shower at 37°, with 'water save' on</p> | <p>Drench A long 15 minute 42 ° shower at maximum flow.</p> |

Product dimensions are in mm and are for guidance only. Please refer to installation guide for installation requirements.

Q™ Edition Metallic Accents

With a choice of five metallic accents, you can add a touch of elegance and modernity in your bathroom. Simply select an Accent Pack, which includes your choice of accent for the Aqualisa Vita™ Handset and the Q™ EDITION bezel.



Bezel and handset inner ring

- Bright Chrome QDD.AA.01
- Rose Gold QDD.AA.02
- Black Chrome QDD.AA.03
- Nickel QDD.AA.04
- Pewter QDD.AA.05

Colour images used for illustrative purposes. Please request to see physical samples for accuracy. All Q™ EDITION controllers need to be bought with one of the choices of bezel and handset inner rings.

Q™ Edition Remote Control

Q™ EDITION remote control is wireless and has a micro USB charging port.

All Q™ EDITION variants come with a remote control included in the price.

- 1 **On/off** Press to turn the shower on. Press and hold to change outlet.



Product dimensions are in mm and are for guidance only. Please refer to installation guide for installation requirements.

HiQu™ Controls

HiQu™ is as elegant as it is simple to use, whether you choose a HiQu™ Shower or a HiQu™ Dual Outlet Shower. Intuitive, sophisticated lighting and simple controls make it the perfect choice for both classic and contemporary bathrooms.

- 1 **Start/Stop button (HiQu™ Shower)** – Press button to start/stop.
Start/Stop and Divert button (HiQu™ Dual Outlet Shower) – Press button to start/stop. Water will dispense to the preferred outlet. Press and hold to Divert.

- 2 **Temperature control**

- 3 **Flow control**

- 4 **LED Display**

The LED light will change colour accordingly, spinning clockwise or anti-clockwise to denote increases or decreases in temperature (red or blue), flow (white) or a change of outlet (purple).



HiQu™ Shower Single Outlet option

HP/Combi
HQD1001

Gravity Pumped
HQD1002



HiQu™ Shower/Fixed Head Dual Outlet Option

HP/Combi
HQD1017

Gravity Pumped
HQD1018



HiQu™ Shower/Bath Dual Outlet Option

HP/Combi
HQD1019

Gravity Pumped
HQD1020



HiQu™ Shower exposed Single Outlet Option

HP/Combi
HQD1003

Gravity Pumped
HQD1004



HiQu™ Remote Control

- 1 **Start/Stop** – Press button to start or stop.

Divert button (Dual Outlet systems only)

Push and hold and the flow will Divert to the alternative outlet.

- 2 **LED Display**
Start/Stop

Flashes white until selected flow and temperature have been reached then light remains on solid.

Divert

LED will 'blink' once to confirm Divert.



All HiQu™ variants, except for HiQu™ Bath and Dual Bath Outlet, come with a remote control included.

Product dimensions are in mm and are for guidance only.

Please refer to installation guide for installation requirements.

HiQu™ Bath and HiQu™ Bath Dual Outlet Controls

The stylish design, elegance and simplicity of HiQu™ Bath, whether you choose the bath only or Dual Outlet version, means your perfect bath is always available at the touch of a button.



- 1 **Start/Stop button (HiQu™ Bath)** – Press button to start/stop.

Start/Stop and Divert button (HiQu™ Bath Dual Outlet) Press button to start/stop. Water will dispense to the preferred outlet. Press and hold to Divert.

- 2 **Temperature**

- 3 **Bath depth setting**

- 4 **LED Display**

The LED light will change colour accordingly, spinning clockwise or anti-clockwise to denote increases or decreases in temperature (red or blue), depth fill (white), depth recording (purple) or a change of outlet (purple).

HiQu™ Bath/Hand shower

HP/Combi HQD1015
Gravity Pumped HQD1016



HiQu™ Bath

HP/Combi HQD1005
Gravity Pumped HQD1006



Programming HiQu™ Bath

Press the Start/Stop button to start the water flowing. Select 'Bath Set Up mode', put in the plug and press and hold the Start/Stop button until the LED flashes purple. When the water has reached the depth you desire for a full fill, press Start/Stop again and the controller will remember the depth you have chosen.

It will also automatically convert this into shallow fill and half fill depths. All you have to do is decide how hot or cool you want your bath, select the bath depth and press 'Start' for a perfect bathtime.



Product dimensions are in mm and are for guidance only.

Please refer to installation guide for installation requirements.

RISE™

Rise™ Controls

Rise™ has been designed to deliver an intuitive, intelligent showering experience. Its thoughtful water saving features can be activated as required to suit you and your family's needs. The LED lighting comes as standard and the clever display will show you when it's time to step in – whilst the remote control allows you to start the shower without reaching into the enclosure.

- 1 **Start/Stop button (Rise™ Shower single outlet)**
Press button to start/stop.
- 2 **Temperature control**
- 3 **LED Display**
A white LED will flash to denote increases or decreases in temperature.
- 4 **Start/Stop and Divert button (Rise™ Dual Outlet Shower)** – Press button to start/stop. Water will dispense to the preferred outlet.



Rise™ Shower single outlet control



Rise™ Shower dual outlet control



Rise™ Shower single outlet control

RS.A1.01.18 – HP/Combi
RS.A2.01.18 – Gravity Pumped

Rise™ Shower dual outlet control

RS.A1.02.18 – HP/Combi
RS.A2.02.18 – Gravity Pumped



Rise™ wired remote control

Switch on the shower or bath fill remotely from up to 10 metres away. Push and hold to divert if you have a Divert option.

(Included in concealed models).
RS.B3.DS.18

Water saving features

You can programme a number of water saving features on the control:

Warm up* - Step in when your shower reaches temperature.

Pause* - For up to 2 minutes when shampooing or shaving.

Timer - You can decide how long you want the shower to run, up to a maximum of 20 minutes.

*Due to the performance characteristics of combination boilers, it is not recommended to activate these options

Product dimensions are in mm and are for guidance only. Please refer to installation guide for installation requirements.

HIQU XT™

HiQu XT™ Controls

A bathroom classic with a design twist, HiQu XT™ comes with easy to use controls, and thoughtful features such as the 'eco-stop' control that reduces water usage up to 50% without compromising performance. HiQu XT™'s Bath Mixer Dual Outlet system allows you to switch easily between water flowing from the spout and the shower head.



HiQu XT™ Shower
HP/Combi HQXT000



- 1 **Eco-stop button**
- 2 **Flow control**
- 3 **Temperature control**
- 4 **Temperature override button**
- 5 **Deck mounted fittings**
- 6 **Diverter**



HiQu XT™ Bath Shower Mixer
HP/Combi
HQXT000BSM

Wall mount fittings
525301



Product dimensions are in mm and are for guidance only. Please refer to installation guide for installation requirements.

RISE™ DCV

Rise™ DCV Controls

Rise™ DCV is a classic mixer shower, ideal if digital showers are not for you or if you want a different look in another bathroom. A Rise™ DCV Divert system offers total flexibility, whether you want an adjustable and drencher head, a drencher head and handset or a three-way over bath combination. Each Rise™ control comes with a pair of 25mm metal levers which can be fitted if required, giving you more choice.



Rise™ DCV mixer valve

HP/Combi RSDCV001



Controls shown with 25mm brass levers



① Flow control

② Temperature control

Controls shown without 25mm brass levers




Rise™ DCV Divert mixer valve

HP/Combi RSDCV002




Controls shown with 25mm brass levers



② Temperature control

③ Combined Divert and flow control

Controls shown without 25mm brass levers




Rise™ DCV 3 way mixer valve

HP/Combi RSDCV003



Controls shown with 25mm brass levers



① Flow control

② Temperature control

③ Combined Divert and flow control

Controls shown without 25mm brass levers

ACCESSORIES

Customise your shower with our wide range of accessories. Alternatively, turn to page 40 for inspiration.



FIXED SHOWER HEADS

Combining style and functionality, all our shower heads are designed to suit every style, budget and need. From the effective lightweight 200mm head or the more indulgent 400mm size, to the LED 365mm metal head for a more luxurious experience.




200mm round lightweight head
Chrome OPN1002





250mm round lightweight head
Chrome OPN1003




200mm thin round plastic head
Chrome OPN1005



250mm Q™ edition round metal head
Chrome OPN1016



300mm Q™ edition round metal head
Chrome OPN1017



300mm thin round metal head
Chrome OPN1006



365mm round flush fit LED metal head
Chrome OPN1012

Min pressure: 1 bar dynamic
Max pressure: 5 bar dynamic



Aqualisa tests all of its Digital Showers with accessories, including handsets, hoses and outlets, that deliver a flow rate of no less than 9 litres per minute to ensure thermostatic stability in line with the safety standard EN 1111.

Product dimensions are in mm and are for guidance only. Please refer to installation guide for installation requirements.



400mm thin round metal head
Chrome OPN1014



200mm thin square metal head
Chrome OPN1007




300mm thin square metal head
Chrome OPN1008



320mm x 230mm thin oval metal head
Chrome OPN1011



400mm thin square metal head
Chrome OPN1015



365mm square flush fit LED metal head
Chrome OPN1013

Min pressure: 1 bar dynamic
Max pressure: 5 bar dynamic



Aqualisa tests all of its Digital Showers with accessories, including handsets, hoses and outlets, that deliver a flow rate of no less than 9 litres per minute to ensure thermostatic stability in line with the safety standard EN 1111.

Product dimensions are in mm and are for guidance only. Please refer to installation guide for installation requirements.

HAND SHOWERS

Never has something so simple been so effective. Every Aqualisa shower head is fully adjustable and comes with a range of spray patterns so you can simply choose the shower head to suit your bathroom design and lifestyle.

130mm 3 spray Aqualisa Vita™ shower head

Chrome with space for Q™ Edition metallic inner ring.
OPN4008



140mm thin shower head

Chrome
OPN4002



130mm 3 spray shower head

Chrome/Satin chrome
OPN4006



130mm oval 3 spray shower head

Chrome/Satin chrome
OPN4007



Aqualisa tests all of its Digital Showers with accessories, including handsets, hoses and outlets, that deliver a flow rate of no less than 9 litres per minute to ensure thermostatic stability in line with the safety standard EN 1111.

Product dimensions are in mm and are for guidance only.
Please refer to installation guide for installation requirements.

Slim, stylish and practical. Each hand shower has its own unique look to suit your bathroom design. Complete your bespoke hand shower system, by selecting any of the hoses, wall outlets and hand shower holders. Alternatively, to give you a helping hand, we have put together matching accessory packs, complete with hose and integral wall outlet, the choice is yours.



Slim metal hand shower
Chrome OPN3002



105mm thin hand shower
Chrome OPN3001



Square hand shower
Chrome OPN3004



Curve hand shower
Chrome OPN3003



Slim hand shower accessory pack
OPN5004

Includes:
Slim metal hand shower
Round integral wall outlet
Smooth chrome 1.5m hose



105mm thin hand shower accessory pack
OPN5007

Includes:
105mm thin hand shower
Round integral wall outlet
Smooth chrome 1.5m hose



Square hand shower accessory pack
OPN5006

Includes:
Square hand shower
Square integral wall outlet
Smooth chrome 1.5m hose



Curve hand shower accessory pack
OPN5005


Includes:
Curve hand shower
Round integral wall outlet
Smooth chrome 1.5m hose



Product dimensions are in mm and are for guidance only.
Please refer to installation guide for installation requirements.

SHOWER RAILS

Whatever your style, taste or needs there's a choice of well designed shower rails to choose from.



SHOWER RAIL ACCESSORY PACKS

To help you create your ideal adjustable shower head system, simply select your choice of shower rail accessory pack, then choose from a variety of adjustable shower heads to create the perfect look that suits you.



Shower rail accessory pack with push fit wall outlet
OPN5002



Includes:
900mm shower rail system
Push-fit round wall outlet
Smooth chrome 1.5m hose

ARMS FOR FIXED SHOWER HEADS

Customise your ideal shower set-up with a shower head arm. Each carefully designed to complement the Options accessories selected and to suit every need and taste.



Wall mounted 450mm round arm
OPN2002



Wall mounted 400mm easy-fit round arm
OPN2003



Wall mounted 450mm square arm
OPN2005




Ceiling mounted 450mm easy-fit round arm (can be cut to length)
OPN2008



Product dimensions are in mm and are for guidance only. Please refer to installation guide for installation requirements.

HOSES, WALL OUTLETS AND HAND SHOWER HOLDERS

Complete your ideal bath or shower with your choice of accessories. Each thoughtfully designed to add the perfect finishing touch to any bathroom.



Smooth hose
1.5m OPN7001
1.75m OPN7008



Metal 1.5m hose
OPN7002



Brass round wall outlet
OPN7003



Push-fit round wall outlet
OPN7004



Round wall mounted hand shower holder
OPN7005

For use with Options smooth hoses



Round wall outlet with combined hand shower holder
OPN7006

For use with Options smooth hoses



Square wall outlet with combined hand shower holder
OPN7007

For use with Options smooth hoses



BATH OUTLETS

Every detail matters. That's why we've produced a range of bath outlets for you to choose from so that you get the look and practicality you desire.



Deck mount hand shower holder
OPN9001



Bath overflow filler 560mm
OPN8003



900mm waste pipe for larger size baths
477502
(required in addition to OPN8003)



Product dimensions are in mm and are for guidance only. Please refer to installation guide for installation requirements.

COMPLETING YOUR SHOWER

You can complete your Premier Collection shower
in 3 ways:

- ① Choose an Option kit to pair with your controller
- ② Choose a Rise™ kit for a complete smart shower solution
- ③ Be inspired by our suggested combinations of shower and bath outlets



OPTION KITS

Controller not included

Now that you have chosen your controller; Infinia™, Q™ EDITION, HiQu™ and Rise™ DCV, add one of our elegant Premier option kits that have been designed with you in mind. Add the cost of your chosen controller to any of the following kits.

| | | | |
|--|---|---|--|
|  |  |  |  |
| <p>OPTION KIT 1</p> <p>Aqualisa Vita™ adjustable handset with 250mm round fixed ceiling shower head OPN5008</p> | <p>OPTION KIT 2</p> <p>Aqualisa Vita™ adjustable handset with 250mm round fixed wall shower head OPN5009</p> | <p>OPTION KIT 3</p> <p>Aqualisa Vita™ adjustable handset with bathfill OPN5010</p> | <p>OPTION KIT 4</p> <p>Square hand shower with 200mm fixed square wall head OPN5011</p> |
|  |  |  | |
| <p>OPTION KIT 5</p> <p>Slim metal hand shower with 250mm Q™ Edition round fixed ceiling head OPN5012</p> | <p>OPTION KIT 6</p> <p>Slim metal hand shower with 250mm Q™ Edition round fixed wall head OPN5013</p> | <p>OPTION KIT 7</p> <p>Single adjustable kit OPN5001</p> | |

Please refer to installation guide for installation requirements.

RISE™ KITS

Rise Controller included

We've created a range of shower packs to make choosing your Rise™ Shower system quicker and easier. Just decide which combination is right for you.

- Rise™ smart divert drencher shower packs include a 250mm metal drencher head.
- All Rise™ concealed shower packs come complete with a wired remote control.
- Remote controls can also be bought separately.

| | | |
|---|--|--|
|  |  |  |
| <p>Rise™ exposed with Vita™ adjustable handset</p> <p>HP/Combi RS.A1.EV.18</p> <p>Gravity Pumped RS.A2.EV.18</p> | <p>Rise™ concealed with Vita™ adjustable handset and wired remote</p> <p>HP/Combi RS.A1.BV.18</p> <p>Gravity Pumped RS.A2.BV.18</p> | <p>Rise™ dual outlet shower with Vita™ adjustable handset, 250mm metal drencher head and wired remote</p> <p>HP/Combi RS.A1.BVFW.18</p> <p>Gravity Pumped RS.A2.BVFW.18</p> |

Please refer to installation guide for installation requirements.

PREMIER COLLECTION INSPIRATIONS

Design your own perfect premier shower

Designed to be desired, every Premium Collection configuration offers maximum flexibility. Whether you're looking for a fixed or adjustable head, a hand shower or bath filler, there's a configuration to suit your specific needs.



DESIGN 1

Infinia™ Dual Outlet Shower with LED square drencher and square metal hand shower

Infinia™
HP/Combi INF02HP
Gravity Pumped INF02GP

Dial Chrome/White Piazza
PIZ02

365mm Square LED Head
OPN1013

Square Hand shower
OPN5006



DESIGN 2


HiQu™ Shower Dual Outlet with oval drencher and thin metal hand shower

HiQu™
HP/Combi HQD1017
Gravity Pumped HQD1018

Metal Oval Head OPN1011

Thin metal hand shower
OPN5004

Wall mounted 400mm easy
fit round arm OPN3003



DESIGN 3

Q™ Edition Dual Outlet Shower with round drencher and Aqualisa Vita™ Handset

Q™ Edition
HP/Combi QDC.02.HP
Gravity Pumped
QDC.02.GP

Bezel Rose Gold
QDD.AA.02

300mm Q™ Edition round
metal head OPN1017

Aqualisa Vita™ Hand shower
OPN4008

Smooth Hose OPN7001

Round Wall outlet OPN7006

Wall mounted 400mm easy
fit round arm OPN3003



DESIGN 4

Q™ Edition Bath/ Hand Dual Outlet Shower with bath fill and hand shower

Q™ Edition
HP/Combi QDC.02.HP
Gravity Pumped QDC.02.GP

Bezel Rose Gold
QDD.AA.02

Bath overflow filler
OPN8003

Slim metal hand shower
OPN3002

Metal 1.5m hose
OPN7002

Deck mount hand shower holder
OPN9001



DESIGN 5

HiQu XT™ mixer shower with adjustable shower head

HiQu XT™
HQXT000

900mm shower rail system
OPN6002

130mm 3 spray shower
head
OPN4006

Smooth 1.5m hose
OPN7001



DESIGN 6

HiQu XT™ mixer shower with thin round adjustable shower head

HiQu XT™
HQXT000

900mm shower rail system
OPN6002

140mm thin shower head
OPN4002

Smooth 1.5m hose
OPN7001

HOW AQUALISA DIGITAL SHOWERS WORK

Aqualisa Quartz Smart Valves™

Powered by Aqualisa's award-winning smart technology, Q™ Edition, Infinia™, ilux™, Rise™ and HiQu™ are controlled by a compact smart valve. This small but powerful device blends the hot and cold water and controls the flow with smart precision to exactly the flow and temperature selected, regardless of the external temperature or conditions. It can be located up to 10 metres away from the bathing area, in the loft, airing cupboard or under the bath and delivers the perfect bath or shower every time.

Quartz Smart Valves™ also benefit from Aqualisa's 5 year manufacturer's guarantee.

Which Quartz Smart Valve™ is right for you?

The correct smart valve solution will be determined by the water system in your home.

The Quartz Smart Valve™, which is no larger than a shoe box, is for use with high pressure water systems which can include a combination boiler or mains fed water. It can also be teamed with a suitable twin ended booster pump for low pressure systems requiring a powerful boost.

The Gravity Pumped version integrates a pump to provide extra power for gravity systems.



Smart Diverter

Approximately half the size of a smart valve, the smart diverter simply connects to the smart valve and converts a single outlet smart product into a dual outlet smart product.

The ingenious smart diverter has the ability to enable either outlet to work separately, or simultaneously if required on certain products. It can even select your preferred outlet to operate first, every time – ideal when switching your shower on using your remote from outside of your shower area.




If fitting a Smart Diverter and HP/Combi Smart Valve complete with a separate booster pump, a suitable universal pump (which works on both positive and negative head conditions) will be required.


Product dimensions are in mm and are for guidance only.
Processor colour may vary.

The Premier Collection suits any home

Before planning your ideal Aqualisa bathroom, it's important to understand how your choice of shower or bath will work with your water system. The following diagrams are just a few examples of different configurations, which will give you a good idea of how the set-up will fit around your bathroom.



Dual Outlet Shower
Q™ EDITION Dual Outlet with Option Kit OPN5009 and Remote Control (wireless)



Single Outlet Shower
Q™ EDITION with modular accessories, including options handset and rail system



Dual Outlet Shower and Bath
Q™ EDITION Bath Dual Outlet with overflow filler, options handset and rail system

Icon key

Simple and easy to use, each of these icons allows you to see at a glance what additional benefits a particular product or accessory comes with.



High pressure water systems

Suitable for use with high pressure, combination boiler and boosted gravity systems



Gravity systems

Suitable for use with gravity systems



All water systems

Suitable for use with all water systems



Spray pattern

This shower has 1 spray pattern



Spray patterns

Select from 3 spray patterns to suit your mood



Spray patterns

Select from a choice of multiple spray patterns to suit your mood



Water saving

Offers 25% water saving, while maintaining a satisfying shower



Easy to install

Quick and simple installation causing minimal disruption to tiles and decor. Exposed smart showers can be fitted in as little as 2 hours



Cool touch

The surface of the product is cool to touch with no heat transmission of the water



Safe touch

The surface of the product is safe to touch with minimal heat transmission of the water



Proximity sensor

When the shower is on, if you move away from it, flow will reduce by 10% and full flow resume when you move back in front of it



Thermostatic

Instantly reacts to temperature fluctuations and water flow for consistent performance



Remote control

A remote control positioned in any convenient location up to 10 metres away



Wireless remote control

A wireless remote control positioned up to 10 metres away, dependent on building materials and construction of the property



Digital ready

Head/ Handsets that allow full flow therefore enabling the digital products to work at their full functionality



5 year guarantee

All components come with a 5 year parts and labour guarantee



Brass body

A valve made from quality solid brass which prevents the possibility of rusting

AQUALISA

PREMIER COLLECTION

Please register your guarantee at: www.aqualisa.co.uk/guarantee

When you register your shower, you can easily increase your FREE guarantee from 1 to 5 years.

AQUALISA

Aqualisa Products Limited
The Flyers Way
Westerham
Kent TN16 1DE

Customer Service and Technical Helpline: 01959 560010

Direct Account Support: 01959 560020

www.aqualisa.co.uk

enquiries@aqualisa.co.uk



The company reserves the right to alter, change or modify the product specifications without prior warning. Please refer to the installation guides for technical information. Registered Trademark Aqualisa Products Limited.

Copyright © Aqualisa 2019. All rights reserved. No part of this brochure may be reproduced whether by copying or storing in any medium, electronic or otherwise, without the express permission of Aqualisa subject to any contrary provision under the Copyright, Designs and Patents Act 1988. Any unauthorised reproduction of any part of this brochure may lead to a civil claim for damages or criminal prosecution.